

FIG. 1

1 / 10




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B





FIG. 4C



0 9 8 3 6 9 7 6 • 0 6 2 5 0 1

FIG. 5






FIG. 6




06286926 - 06286927


FIG. 7



8
FIG.



6
FIG.



105230 92698260

FIG. 10

8 / 10

SELECT DATA	SETTING CLASS	TEACHING	SELF CHECK	CLASS	SETTING	DELETE	RE-SETTING	CLEARING MAIN CLASS	CLEARING USER CLASS	IMAGE PROCESSING	SETTING PARAMETER	LINE REGISTRATION	FILE/EDIT																																		
MAIN CLASS (BRIDGING DEFECT)																																															
ADDING USER CLASS																																															
34																																															
35																																															
36																																															
37																																															
38																																															
39																																															
40																																															
41																																															
42																																															
43																																															
44																																															
WAFER# XXXXXXXXX	BRIDGING DEFECT	38	BRIDGING DEFECT-BLACK	0	BRIDGING DEFECT-WHITE	0	BRIDGING DEFECT-SCRATCH	0	NON-BRIDGING DEFECT	16	DIMPLE ON PATTERN	2	DIMPLE OUT OF PATTERN	0	PATTERN SHORT	14	PATTERN OPEN	0	PATTERN MISC	0	ISOLATED DEFECT	0	VC SHORT	0	VC OPEN	0	OVER SIZE	32	FALSE DEFECT	26	UNCASSIFY	0	REGION	1	VC IMAGE	0	ID	ADR MODE	RECIPE	CLASS	EXPAND	THUMBNAIL	SORT	ALIGN	MODE	MULTI 4 IMAGES	FILE/EDIT
45																																															

FIG. 11

9 / 10




FIG. 12

